









At ShoreLand'r we understand that creating the perfect trailer starts with creating the perfect fit...

Find Your Fit

Whether your watercraft is a 35' deck boat, 15' bass boat, or a 1200 lb. PWC, ShoreLand'r provides a trailer that can properly haul your craft. With over 60+ years in the industry we've perfected the way our trailers cradle the watercrafts they carry.



BOAT TRAILERS

Our innovative support system, engineered to take the hassle out of launching and loading. Get the most out of your boat trip with ShoreLand'r!

Available in 700 lb. to 15,000 lb. capacity

See Pages 11-14



PONTOON TRAILERS

Updated with new models to better fit today's larger, heavier pontoons, these trailers are loaded with great ShoreLand'r features!

Available in 1500 lb. to 6700 lb. capacity

See Pages 15-16



PWCTRAILERS

Designed to fit one or two large modern-day 3-person watercrafts, these trailers have the options you need to make your time on the water a blast!

Available in 1000 lb. to 2400 lb. capacity

See Pages 17-18

ShoreLand'r Go the extra mile 4

Better performance on the road.

Built for smooth, stable towing

In today's hustle-bustle world, it can be tough to find quality family time. When you finally get a chance to break away, you want to spend it relaxing with the kids, not broken down by the side of the highway. That's why a dependable trailer is so important. One with features such as disc brakes or optional electric-over-hydraulic brakes, to ensure that all state laws are met, and more importantly, that everyone gets home safely.

Safety First

You need a trailer that is equipped to protect both your family and your boat in an emergency. ShoreLand'r doesn't take any chances, featuring **Disc Brakes** to ensure you have the reliable, smooth, stopping power you need. **DOT approved lighting** keeps your boat visible at night. Heavy-duty **Double Safety Chains** keep the trailer secured to your tow vehicle. A Bow Eye Safety Chain keeps your boat on the trailer if the winch fails. Your safety is our first priority. Period.

High Road Performance

ShoreLand'r makes the journey as painless as possible with features like smooth rolling factory-balanced radial tires, uni-frame construction, and adjustable axles, for better performance and less vibration. Less vibration is a good thing for your boat and its sensitive electronic equipment. *In addition to that, the frame is* designed to keep the boat riding low for less wind resistance and better gas mileage out on the highway.

7-Way Wire Connector

Standard on all ShoreLand'r brake trailers, the 7-Way **Round Connector** connects directly to most tow vehicles without an adapter or splicing. **Heavy-duty Recoil Harness** helps protect wiring from dragging or pinching. Tongue Clips keeps connector off the ground when not connected to tow vehicle.



Advanced Protection for Your Boat

Enclosed, custom-molded side step fenders that protect your boat from road debris. Protective Pads on all **cross-members** protect the boat keel if contact is made during loading.



Easier Maintenance

Grease-Packed Hubs and **Bearing Protectors** create positive pressure to keep water and contaminants out. This prolongs bearing life and prevents breakdowns with lubrication covering the bearings 100% of the time unlike oil-bath systems.



Trouble-Free LED Lighting System

Sealed taillights with dependable, fullygrounded wiring and LED side-marker lights with a **7-way wire connector** that eliminates troublesome loose wires and plug adapters. It all adds up to a dependable system you can count on.






Better performance at the ramp.

> Stress-free launching and loading

> > All you want to do is get in and get out... and look like a pro doing it. That's precisely why ShoreLand'r trailers have an innovative support system, engineered to take the hassle out of launching and loading. This system self-adjusts for maximum hull support and easier centering, even in strong currents and rough winds.





ROLLERS

Bunks vs. Rollers

Our patented roller design not only centers your boat quickly, it allows you to land your boat with less of the trailer underwater. Getting more of the boat out of the water when landing lessens the effect of current and waves when loading. It will also help keep your feet dry on the ramp!

Innovative to the Core

Unique, patented roller features a durable, thermoplastic hub covered with soft, non-marking rubber for cushioned support that retains its shape. An innovative cat's-eye shaped axis limits side-to-side movement to keep the boat centered during loading, while allowing the roller to conform to the geometry of the boat hull. Corrosionfree aluminum washers and no metal-to-metal contact, ensure it will keep rolling smoothly, year after year







Smoother brakina action and improved performance for

greater safety.

Less maintenance.





A variety of fender options available to protect your boat and trailer from chips and corrosion. Side-step also available n some models.



Welded uni-frame construction that provides maximum strength and less flex to ensure longer trailer life and advanced protection for your boat.

ADJUSTABILITY FOR THE PERFECT FIT

The perfect fit means better performance both on the road and at the ramp. This is achieved with unique features like the patented, fully-adjustable, and super-stylish Profile Performance winch. The axles are also adjustable to fine-tune tongue weight for perfectly balanced trailering that minimizes stress on your tow vehicle.



Self-adjusting rollers feature a durable, thermoplastic hub covered with soft, non-marking rubber for cushioned support that retains its shape. If you prefer bunks, the Patented EquiLoad System uses self-adjusting bunks that pivot to evenly distribute the weight.





GALVANIZED

SUPERIOR FINISH

Whether you choose our ShoreArm'r finish or rugged galvanized, you'll appreciate the extra care we put into making sure your trailer looks good for





A trouble-free lighting system you can count on! Sealed taillights with dependable and fully ground wiring. LED lights available on 1800 lb. trailers on up.











ShoreArm'r black and rugged galvanized.





Designed for "Big Water" boats, this 3"x5" steel tube frame trailer is as tough as they come. They feature a heavy-duty uni-frame construction, dual axle disc brakes, heavy duty winchpost with double roller bow stop and solid aluminum fenders. Available in ShoreArm'r black and ruaged galvanized in roller or bunk.

5800 - 6800 lb. Trailers

These heavy duty frame, double-axle, double-brake trailers

are tough enough for heavier loads. The custom fenders are as

EquiLoad pivoting roller or bunk for ideal launching and loading.

rugged as they are good looking. Choose from our patented







corrosive destruction of saltwater better than ShoreLand'r. Heavy-duty I-beam aluminum frames resist corrosion with strong, galvanized steel crossmembers and a long list of ShoreLand'r features. Available in 3000 - 15,000 lb. capacities.

galvanized from 3300 – 5500 lb. capacity.





HOW LOW CAN YOU GO?

These "v" crossmembers allow your machines to ride as low as possible. This lower center of gravity provides safer towing, better gas mileage and easier loading at the ramp.

FULLY ADJUSTABLE PIVOTING BUNKS

the perfect fit.

This sturdy crank winch features Carpeted bunk supports an adjustable bow stop and conform to the hull for durable nylon strap that will not tangle or fray.

GEARED WINCH



WALKBOARD

Optional Walkboard provides easy access to your watercraft.

FOR A BETTER FIT

LONGER FRAME

These trailers have been designed around the largest PWCs on the market to ensure a perfect fit. Better fit means better performance on the road and at the ramp.



Available in ShoreArm'r oi rugged galvanized, you'll appreciate the extra care we put into making sure your trailer looks good for the long haul. MATTE BLACK)










Customize. Maximize. Accessorize.

Okay, you store your boat in the garage and take it to the lake six times a year. Your neighbor parks his in his backyard and takes it to the river almost every weekend. Different users have different needs and that's why ShoreLand'r offers a complete line of Genuine ShoreLand'r Accessories. Everything you need to make your trailer fit your lifestyle.



Peace of Mind

ShoreLand'r makes sure you're protected in three different ways: our 5-Year Limited Warranty, NMMA Certification and BoatU.S. Protection.

This all adds up to peace of mind, so you can relax and enjoy every minute of your vacation.



NMMA Certified

The "NMMA Certified" decal is your guarantee that every ShoreLand'r is built to meet or exceed the National Marine Manufacturer's Association safety and quality standards. Don't settle for less!



Free BoatU.S. **Membership**

To protect you in the unlikely event of a breakdown, all ShoreLand'r trailers come with a FREE 90-day BoatU.S. Membership. It features over 26 benefits, including trailer assist and tow, and on-the-water towing services.



5-Year Limited Warranty

For added peace of mind, our 5-Year Limited Warranty includes a 1-Year Tonque-to-Taillight Warranty. Ask your dealer for details.

ShoreLandr® Go the extra mile 20

MODELS & SPECIFICATIONS

Standard Models 700 - 5000 lb.

Maximum	Evamo Longth	Standard Tongue	Measure Your Boat's Length	Measure Your Boat's	Disc Brakes	Fully Grounded	Tires	Fender Style
Carrying Capacity	Frame Length & Width Code	Length Code	Bow Eye to Transom [†]	Width at Chine Beam	Standard	Fully Grounded Sealed LED Lighting	lifes	renuer style
700 lb.		S	15'-4"	46"			12"Bias	Poly
700 lb.		L	17'-4"	46"			12"Bias	Poly
1200 lb.		S	12'-7"	46"			12"Bias	Poly
1200 lb.		M	14'-1"	46"			12"Bias	Poly
1200 lb.		L	15'-7"	46"			12"Bias	Poly
1200 lb.		S	14'-0"	58"			12"Bias	Poly
1200 lb.		М	15'-6"	58"			12"Bias	Poly
1200 lb.		L	17'-0"	58"			12"Bias	Poly
1400 lb.		S	14'-0"	58"			12"Bias	Poly
1400 lb.		M	15'-6"	58"			12"Bias	Poly
1400 lb.		L	17'-0"	58"			12"Bias	Poly
1500 lb.			15'-4"	66"			12"Bias	Poly
1800 lb.	LN	S	16'-8"	68"		✓	13"Radial	Molded w/Step
2200 lb.	S	S	15'-1"	74"		~	13"Radial	Molded w/Step
2200 lb.	L	S	16'-7"	74"		✓	13"Radial	Molded w/Step
2200 lb.	LW	S	16'-7"	84.5"		~	13"Radial	Molded w/Step
2300 lb.	S	S	16'-8"	78.5"		✓	14"Radial	Molded w/Step
2300 lb.	SW	S	16'-8"	84.5"		~	14"Radial	Molded w/Step
2300 lb.	L	S	17'-8"	78.5"		~	14"Radial	Molded w/Step
2300 lb.	LW	S	17'-8"	84.5"		~	14"Radial	Molded w/Step
2300 lb.	XXL	S	18'-11"	78.5"		✓	14"Radial	Molded w/Step
2800 lb.	XXL	S	19'-5"	78.5"	~	~	14"Radial	Molded w/Step
3000 lb.	S	S	16'-8"	78.5"	~	~	14"Radial	Molded w/Step
3000 lb.	SW	S	16'-8"	84.5"	~	~	14"Radial	Molded w/Step
3000 lb.	L	S	17'-8"	78.5"	~	~	14"Radial	Molded w/Step
3000 lb.	LW	S	17'-8"	84.5"	~	~	14"Radial	Molded w/Step
3400 lb.	LW	S	17'-8"	84.5"	~	~	15"Radial	Molded w/Step
3400 lb.	XLW	S	18'-8"	84.5"	~	~	15"Radial	Molded w/Step
4000 lb.	LW	S	17'-8"	84.5"	~	~	13"Radial	Molded w/Step
4000 lb.	XLW	S	18'-8"	84.5"	~	~	13"Radial	Molded w/Step
4000 lb.	LW	S	17'-8"	84.5"	~	~	14"Radial	Painted Steel
4000 lb.	XLW	S	18'-8"	84.5"	~	~	14"Radial	Painted Steel
4600 lb.	S	М	19'-0"	84.5"	~	~	13"Radial	Molded w/Step
4600 lb.	L	М	20'-6"	84.5"	~	~	13"Radial	Molded w/Step
5000 lb.	S	М	18'-9"	84.5"	~	~	14"Radial	Painted Steel
5000 lb.	L	М	20'-2"	84.5"	~	~	14"Radial	Painted Steel

Standard Models 5500 - 8000 lb.

laximum arrying Capacity	Frame Length & Width Code	Standard Tongue Length Code	Measure Your Boat's Length Bow Eye to Transom†	Measure Your Boat's Width at Chine Beam‡	Disc Brakes Standard	Fully Grounded Sealed LED Lighting	Tires	Fender Style
500 lb.	S	М	18'-9"	84.5"	~	✓	14"Radial	Painted Steel
500 lb.	L	M	20'-2"	84.5"	~	✓	14"Radial	Painted Steel
800 lb.			21'-0"	84.5"	~	✓	14"Radial	Aluminum
800 lb.			21'-0"	84.5"	~	✓	15"Radial	Aluminum
000 lb.	L		23'-3"	83"	~	✓	15"Radial	Aluminum

Inboard Models 3300 - 5500 lb.

Maximum Carrying Capacity	Frame Length & Width Code	Standard Tongue Length Code	Measure Your Boat's Length Bow Eye to Transom†	Measure Your Boat's Width at Chine Beam‡	Disc Brakes Standard	Fully Grounded Sealed LED Lighting	Tires	Fender Styl
3300 lb.		L	18'-7"	78.5"	~	✓	15"Radial	Poly Meta
4000 lb.		L	20'-1"	78.5"	~	✓	14"Radial	Painted Stee
5500 lb.	L	L	22'-2"	84.5"	~	✓	14"Radial	Painted Stee

Aluminium Models 3000 - 15,000 lb.

Maximum Carrying Capacity	Measure Your Boat's Length Bow Eye to Transom†	Measure Your Boat's Width at Chine Beam‡	Disc Brakes Standard	Fully Grounded Sealed LED Lighting	Tires	Fender Sty
3000 lb.	16'-7"	85.5	~	~	14"Radial	Molded w/St
4000 lb.	16'-7"	85	~	✓	14"Radial	Molded w/St
4600 lb.	16'-7"	84.5	✓	✓	14"Radial	Molded w/St
6000 lb.	18'-2"	84.5	~	✓	14"Radial	Molded w/St
7000 lb.	20'-11"	84.5	✓	✓	15"Radial	Molded w/St
8200 lb.	23'-10"	83.5	~	✓	15"Radial	Aluminu
9500 lb.	26'-6"	83	✓	✓	16"Radial	Aluminu
15,000 lb.	26'-6"	81	~	~	16"Radial	Aluminu



^{*} Detailed specifications for individual models may be found on Trailer Model Spec Sheets in PartSmart (shorelandr. com/parts/PartSmart.htm). Models and specifications are subject to change. Recommended carrying capacity is based on the shipping weight of the trailer with standard equipment. Adding optional equipment may decrease the trailer's carrying capacity. Your ShoreLand'r dealer can recommend the specific model that meets your needs.

Pontoon Models 1500 - 6700 lb.

Maximum Carrying Capacity	Maximum Boat Length	Bunk Width on Tube Center, Min - Max	Single or Tandem Axle	Tires	Disc Brakes Standard	Fully Grounded Sealed LED Lighting
1500 lb.	14 ft.	12"-58"	Single	12"Bias		
2000 lb.	14 ft.	12"-58"	Single	10"Bias		✓
2000 lb.	17 ft.	12"-76"	Single	10"Bias		✓
2200 lb.	19 ft.	67"-82"	Single	10"Bias	optional	✓
2200 lb.	19 ft.	67"-82"	Single	13"Radial	optional	✓
2200 lb.	21 ft.	67"-82"	Single	10"Bias	optional	✓
2200 lb.	21 ft.	67"-82"	Single	13"Radial	optional	✓
2500 lb.	19 ft.	67"-82"	Single	13"Radial	✓	✓
2500 lb.	21 ft.	67"-82"	Single	13"Radial	✓	✓
2500 lb.	23 ft.	67"-82"	Single	13"Radial	✓	✓
2700 lb.	21 ft.	67"-82"	Single	14"Radial	✓	✓
2700 lb.	23 ft.	67"-82"	Single	14"Radial	~	~
4700 lb.	21 ft.	67"-82"	Tandem	10"Bias	✓	✓
4700 lb.	21 ft.	67"-82"	Tandem	14"Radial	✓	✓
4700 lb.	23 ft.	67"-82"	Tandem	10"Bias	✓	✓
4700 lb.	23 ft.	67"-82"	Tandem	14"Radial	✓	✓
4700 lb.	25 ft.	67"-82"	Tandem	10"Bias	✓	✓
4700 lb.	28 ft.	67"-82"	Tandem	10"Bias	✓	✓
5000 lb.	25 ft.	67"-82"	Tandem	13"Radial	✓	✓
5000 lb.	28 ft.	67"-82"	Tandem	13"Radial	✓	✓
5500 lb.	25 ft.	67"-82"	Tandem	13"Radial	✓	✓
5500 lb.	28 ft.	67"-82"	Tandem	13"Radial	~	~
5800 lb.	29 ft.	67"-82"	Tandem	14"Radial	~	✓
6700 lb.	25 ft.	67"-82"	Tandem	15"Radial	~	~
6700 lb.	29 ft.	67"-82"	Tandem	15"Radial	✓	✓

→ PWC Models

Model	Trailer Style	Carrying Capacity	Short Tongue	Long Tongue	Overall Width	Between Fenders	Bunk Length	Tire Size	Crank Winch	Fully Grounde Sealed Led Lightin
SLB10TS	Single	1200 lb. (544Kg)	186" (4.72M)	n/a	59" (1.50M)	46" (1.17M)	72" (1.83M)	4.80X12-B	~	✓
PWC12S	Single	1200 lb. (544Kg)	147" (3.73M)	171" (4.34M)	59.5" (1.50M)	46" (1.17M)	60" (1.52M)	4.80X12-B	V	✓
PWC12L	Single	1200 lb. (544Kg)	159" (4.04M)	182" (4.62M)	59.5" (1.50M)	46" (1.17M)	72" (1.83M)	4.80X12-B	~	✓
PWC14L	Single	1400 lb. (635Kg)	159" (4.04M)	182" (4.62M)	59.5" (1.50M)	46" (1.17M)	72" (1.83M)	5.30X12-C	V	~
PWCD2213	Double	2200 lb. (998Kg)	186" (4.72M)	186" (4.72M)	100" (2.54M)	84.5" (2.15M)	84" (2.13M)	ST175/80R13-C	~	✓
PWCD2410	Double	2400 lb. (1089Kg)	186" (4.72M)	186" (4.72M)	100" (2.54M)	84.5" (2.15M)	84" (2.13M)	20.5X8.0-10E	V	~
PWCD2413	Double	2400 lb. (1089Kg)	186" (4.72M)	186" (4.72M)	100" (2.54M)	84.5" (2.15M)	84" (2.13M)	ST185/80R13-C	~	✓





THE KEY TO SHORELAND'R MODEL NUMBERS

Model numbers provide details about the trailer's capacity and other characteristics.

For example: SLB40TBLW = a ShoreLand'r Bunk Trailer with 4000 lb. carrying capacity, tandem axles with brakes standard on one axle, and a long-wide frame.

SL = ShoreLand'r

B = Bunk
R = Roller
V = V-frame bunk
XR = Extra roller

MAX. CAPACITY (in 100s of lb.)

T = Tandem/Tri Axle
N = Narrow
TS = Tongue Short
TM = Tongue Medium
TL = Tongue Long
K = Custom Steel Fender

S = Short
L = Long
SW = Short Wide
LW = Long Wide
XLW = Ext Long Wide
AL = Aluminum

ShoreLandr Go the extra mile 22











Discover more with ShoreLand'r...

It's not just the end product that makes a great brand. It's about having great people and the proper tools to support them. We take great pride in our team, partners, and customers worldwide.



ShoreLand'r Dealer Network

From the United States to Canada, our network of authorized dealers is readily available to help you build the ShoreLand'r trailer your watercraft needs!

Visit **ShoreLandr.com** to find a dealer near you!



FIND YOUR LOCAL SHORELAND'R DEALER TODAY!

Online Resources

Whether you are looking for product info and photos, specifications, trailering tips, or dealer locations, ShoreLandr.com has a solution to fit your needs. Visit our website today to discover the ShoreLand'r difference.



S



New Pontoon Line Sports More Sizes and New Features

The complete line of ShoreLand'r Pontoon Trailers has been updated with new models to fit today's larger, heavier pontoons. In addition to these new sizes and better fit, these trailers are loaded with great ShoreLand'r features, including:

- Smooth, Stable Towing
 - heavy-duty tube-steel frame, precision built axles, factory-balanced wheels
- Long-Term Durability

your choice of durable finish - diamond black powder-coat or rugged galvanized, plus impactresistant Custom Molded Fenders

· Precise Loading At The Ramp

fully carpeted full-length bunks, adjustable winch post, heavy-duty geared winch and dual cushioned deck stops

Safe Step-Up Access

heavy-duty steps with safety handrail for easy boarding

· Easy Maintenance

dependable grease-pack hubs with bearing protectors, fully-ground wiring with LED side-marker lights

Variety Of Accessories

tri-toon conversion kits, load guides... and more!



Built To Last


This heavy duty, 3" x 5" tube steel frame is the toughest in the industry. The welded Uni-frame construction provides maximum strength and less flex for longer trailer life.

NEW! Trouble-free Lighting System

Sealed taillights with dependable, fullyground wiring and LED side-marker lights. It all adds up to a trouble-free system you can count on.



刀



SMART BUYER QUESTION Hit your dealer up with this question and they'll know you're a savvy shopper . . .

"Does the law require brakes on this trailer?"

Visit www.shorelandr.com for answers to these and hundreds of other trailering questions



Models and specifications are subject to change. Some models are shown with optional equipment.

Now standard on all brake models.






PONTOON

UITUUIT									
MODEL	TRAILER Style	CAPACITY	HULL L Min.	ENGTH Max.	MAX OVERALL LENGTH	OVERALL WIDTH	TIRE Size	BRAKES	LIGHTING
PT1415	Pontoon	1500 lb. (680kg)	8' (2.44m)	14' (4.27m)	17′5′′′ (5.31m)	80.25" (2.04m)	5.30x12-C	N/A	Submersible
PT1420	Pontoon	2000 lb. (907kg)	10' (3.05m)	14' (4.27m)	18' 6" (5.64m)	102" (2.59m)	20.5x8.0x10-E	8" Disc (Opt.)	Submersible
PT1720	Pontoon	2000 lb. (907kg)	14' (4.27m)	17' (5.18m)	21' 6" (6.55m)	102" (2.59m)	20.5x8.0x10-E	8" Disc (Opt.)	Submersible
PT1922	Pontoon	2200 lb. (998kg)	16' (4.88m)	19' (5.79m)	23' 1" (7.04m)	96.5" (2.45m)	20.5x8.0x10-E	8" Disc (Opt.)	Submersible
PT1922B	Pontoon	2200 lb. (998kg)	16' (4.88m)	19' (5.79m)	24' 1" (7.34m)	96.5" (2.45m)	20.5x8.0x10-E	8" Disc Standard	Submersible
PT1922A	Pontoon	2200 lb. (998kg)	16' (4.88m)	19' (5.79m)	23' 1" (7.04m)	93.5" (2.37m)	ST185/80R13-C	10" Disc (Opt.)	Submersible
PT1925AB	Pontoon	2500 lb. (1134kg)	16' (4.88m)	19' (5.79m)	24' 1" (7.34m)	93.5" (2.37m)	ST185/80D13-D	10" Disc Standard	Submersible
PT2122	Pontoon	2200 lb. (998kg)	17' (5.18m)	21' (6.40m)	24' 9" (7.54m)	96.5" (2.45m)	20.5x8.0x10-E	8" Disc (Opt.)	Submersible
PT2122B	Pontoon	2200 lb. (998kg)	17' (5.18m)	21' (6.40m)	25' 9" (7.85m)	96.5" (2.45m)	20.5x8.0x10-E	8" Disc Standard	Submersible
PT2122A	Pontoon	2200 lb. (998kg)	17' (5.18m)	21' (6.40m)	24' 9" (7.54m)	93.5" (2.37m)	ST185/80R13-C	10" Disc (Opt.)	Submersible
T2125AB	Pontoon	2500 lb. (1134kg)	18' (5.49m)	21' (6.40m)	25′ 9″ (7.85m)	93.5" (2.37m)	ST185/80D13-D	10" Disc Standard	Submersible
PT2127AB	Pontoon	2700 lb. (1225kg)	18' (5.49m)	21' (6.40m)	25′ 9″ (7.85m)	93.5" (2.37m)	ST215/75R14-C	10" Disc Standard	Submersible
PT2147TB	Pontoon	4700 lb. (2132kg)	17' (5.18m)	21' (6.40m)	25′ 9″ (7.85m)	96.5" (2.45m)	71"20.5x8.0x10-E	8" Disc Standard 1 Axle	Submersible
PT2147TBB	Pontoon	4700 lb. (2132kg)	17' (5.18m)	21' (6.40m)	25′ 9″ (7.85m)	96.5" (2.45m)	20.5x8.0x10-E	8" Disc Standard 2 Axles	Submersible
T2147TAB	Pontoon	4700 lb. (2132kg)	17' (5.18m)	21' (6.40m)	25′ 9″ (7.85m)	93.5" (2.37m)	ST185/80R13-C	10" Disc Standard 1 Axle	Submersible
T2147TABB	Pontoon	4700 lb. (2132kg)	17' (5.18m)	21' (6.40m)	25′ 9″ (7.85m)	93.5" (2.37m)	ST185/80R13-C	10" Disc Standard 2 Axles	Submersible
PT2321A	Pontoon	2100 lb. (953kg)	20' (6.10m)	23' (7.01m)	28' 8" (8.74m)	93.5" (2.37m)	ST185/80D13-D	10" Disc (Opt.)	Submersible
T2325AB	Pontoon	2500 lb. (1134kg)	20' (6.10m)	23' (7.01m)	27'11" (8.51m)	93.5" (2.37m)	ST185/80D13-D	10" Disc Standard	Submersible
T2327AB	Pontoon	2700 lb. (1225kg)	20' (6.10m)	23' (7.01m)	27'11" (8.51m)	93.5" (2.37m)	ST215/75R14-C	10" Disc Standard	Submersible
PT2347TB	Pontoon	4700 lb. (2132kg)	20' (6.10m)	23' (7.01m)	27'11" (8.51m)	96.5" (2.45m)	20.5x8.0x10-E	8" Disc Standard 1 Axle	Submersible
PT2347TBB	Pontoon	4700 lb. (2132kg)	20' (6.10m)	23' (7.01m)	27'11" (8.51m)	96.5" (2.45m)	20.5x8.0x10-E	8" Disc Standard 2 Axles	Submersible
T2347TAB	Pontoon	4700 lb. (2132kg)	20' (6.10m)	23' (7.01m)	27'11" (8.51m)	93.5" (2.37m)	ST185/80R13-C	10" Disc Standard 1 Axle	Submersible
T2347TABB	Pontoon	4700 lb. (2132kg)	20' (6.10m)	23' (7.01m)	27'11" (8.51m)	93.5" (2.37m)	ST185/80R13-C	10" Disc Standard 2 Axles	Submersible
PT2547TB	Pontoon	4700 lb. (2132kg)	22' (6.71m)	25' (7.62m)	30'11" (9.42m)	96.5" (2.45m)	20.5x8.0x10-E	8" Disc Standard 1 Axle	Submersible
PT2547TBB	Pontoon	4700 lb. (2132kg)	22' (6.71m)	25' (7.62m)	30'11" (9.42m)	96.5" (2.45m)	20.5x8.0x10-E	8" Disc Standard 2 Axles	Submersible
PT2550TAB	Pontoon	5000 lb. (2268kg)	22' (6.71m)	25' (7.62m)	30'11" (9.42m)	93.5" (2.37m)	ST185/80D13-D	10" Disc Standard 1 Axle	Submersible
PT2555TABB	Pontoon	5500 lb. (2495kg)	22' (6.71m)	25' (7.62m)	30'11" (9.42m)	93.5" (2.37m)	ST185/80D13-D	10" Disc Standard 2 Axles	Submersible
PT2847TB	Pontoon	4700 lb. (2132kg)	26' (7.92m)	28' (8.53m)	32' (9.75m)	96.5" (2.45m)	20.5x8.0x10-E	8" Disc Standard 1 Axle	Submersible
PT2847TBB	Pontoon	4700 lb. (2132kg)	26' (7.92m)	28' (8.53m)	32' (9.75m)	96.5" (2.45m)	ST185/80R13-C	8" Disc Standard 1 Axle	Submersible
PT2850TAB	Pontoon	5000 lb. (2268kg)	26' (7.92m)	28' (8.53m)	32' (9.75m)	93.5" (2.37m)	ST185/80D13-D	10" Disc Standard 1 Axle	Submersible
T2855TABB	Pontoon	5500 lb. (2495kg)	26' (7.92m)	28' (8.53m)	32' (9.75m)	93.5" (2.37m)	ST185/80D13-D	10" Disc Standard 2 Axles	Submersible
PT2958TBB	Pontoon	5800 lb. (2631kg)	26' (7.92m)	29' (8.53m)	34'4" (10.46m)	101.5" (2.58m)	ST215/75R14-C	10" Disc Standard 2 Axles	Submersible
PT2567TBB	Pontoon	6700 lb. (2495kg)	22' (6.71m)	25' (7.62m)	31'6" (9.60m)	101.5" (2.58m)	ST205/75R15-D	12" Disc Standard 2 Axles	Submersible
PT2967TBB	Pontoon	6700 lb. (2495kg)	26' (7.92m)	29' (8.53m)	34'4" (10.46m)	101.5" (2.58m)	ST205/75R15-D	12" Disc Standard 2 Axles	Submersible

Superior finish options





Powder-coated paint

Our special powder coating system provides more uniform coverage for a deep luster finish. Available in your choice of colors:



arctic white available on 2300 lb. to 8000 lb. models



diamond black available on 700 lb. to 8000 lb. models



rugged galvanized available on 700 lb. to 8000 lb. models

Visit **www.shorelandr.com** for the latest updates!



Models & Specifications

			OVERALL LENGTH							
	MODEL	CARRYING CAPACITY	SHORT TONGUE	LONG TONGUE	OVERALL WIDTH	BETWEEN FENDERS	BUNK LENGTH	TIRE SIZE	WINCH	
S	SLB10TS	1200 lb. (544kg)	186" (4.72m)	N/A	59" (1.50m)	46" (1.17m)	72" (1.83m)	4.80x12-B	CRANK	
SE	PWC12S	1200 lb. (544kg)	147" (3.73m)	171" (4.34m)	59.5" (1.50m)	46" (1.17m)	60" (1.52m)	4.80x12-B	CRANK	
Z	PWC12L	1200 lb. (544kg)	159" (4.04m)	182" (4.62m)	59.5" (1.50m)	46" (1.17m)	72" (1.83m)	4.80x12-B	CRANK	
S	PWC14L	1400 lb. (635kg)	159" (4.04m)	182" (4.62m)	59.5" (1.50m)	46" (1.17m)	72" (1.83m)	5.30x12-C	CRANK	
ES	PWCD2213	2200 lb. (998kg)	186" (4.72m)	186" (4.72m)	100" (2.54m)	84.5" (2.15m)	84" (2.13m)	ST175/80R13-C*	CRANK	
B	PWCD2410	2400 lb. (1089kg)	186" (4.72m)	186" (4.72m)	100" (2.54m)	84.5" (2.15m)	84" (2.13m)	20.5x8.0-10E*	CRANK	
8	PWCD2413	2400 lb. (1089kg)	186" (4.72m)	186" (4.72m)	100" (2.54m)	84.5" (2.15m)	84" (2.13m)	ST185/80R13-C*	CRANK	

*Optional break kits available. Models and specifications are subject to change. Some models are shown with optional equipment. Visit **shorelandr.com** for the latest updates.



Ask your dealer about our ShoreLock'r (TA0204-03) Storage Boxes!





Every ShoreLand'r is built to meet or exceed the quality and safety standards set forth by the National Marine Manufacturers Association. But you don't have to take our word for it, you can take theirs..."Certified"



Our 5-year Plus Limited Warranty includes a 1-Year, Tongue-to-Taillight Limited Warranty that replaces occuponent that fails due to poor quality or workmanship within the first year of ownership. Askyour dealer for details.



To protect you in the unlikely event of a breakdown, all ShoreLand'r trailers come with a FREE 90-day BoatU.S. Membership. It features over 26 benefits, including Trailer Assist and Tow and on-the-water towing services.



2 finish options offer long lasting durability

These models are available in your choice of two durable finishes: **Metallic Black** Powder-coat and Hot-dipped **Galvanized** for maximum corrosion protection.



ShoreStation PWC Lifts

We also manufacture a complete line of PWC Lifts, including dock-mount and free-standing models. Ask your dealer about our **NEW FlexPower SSV1564ED.** The vertical lift design can handle deeper water and the largest crafts - up to 5'6" deep and 1500 lbs! It comes standard with 2 wireless remote to raise & lower your lift.

For more information visit us online at **shorestation.com**.





AUTHORIZED DEALER

HOT new DOUBLE leads the way! Designed to fit today's big 3-person watercraft, this new trailer is loaded with special features, including:

Fully Adjustable Pivoting Bunks

Carpeted bunk supports conform to the hull for the perfect fit.

Custom Molded Step Fenders

Convenient step-on access to your machines. Durable, impact resistant fenders will not rust, to keep your trailer looking great for years.

3 Tire Options to choose from

Choose the 10". 175 x 13" or 185 x 13" to get the desired carrying capacity. The fender and chassis are designed to fit all three.

Additional Features include:

LED Side-marker lights • Optional Disc Brakes • Fully-Grounded Wire Harness Fully Adjustable Bunks • Bunk Mounted Tie Down Points • Sealed Taillights

How low can you go?

These "v" crossmembers allow your machines to ride as low as possible. This lower center of gravity provides safer towing, better gas mileage and easier loading at the ramp.

Longer frame for a better fit

These trailers have been designed around the largest PWCs on the market to ensure a perfect fit. Better fit means better performance on the road and at the ramp.



Stylish Shockwave Graphics

Aggressive chrome design to accent your watercraft.

WHY ShoreLand'r?



ShoreLand'r goes above and beyond the competition in a number of key areas. These all add up to a trailer you can depend on year in and year out.

A trailer that will look better, last longer and go farther. Get the most out of every weekend and every summer vacation.

Get a ShoreLand'r and go the extra mile!

Better performance on the road

ShoreLand'r makes the journey as painless as possible with features like smooth rolling factorybalanced wheels for better performance and less vibration. In addition to that, the frame is designed to keep the PWC riding low for less wind resistance and better gas mileage out on the highway.

Accessorize-ability

Different users have different needs and that's why ShoreLand'r offers a complete line of Genuine ShoreLand'r Accessories. Everything from spare tires to our popular walk boards and ShoreLock'r storage box. Whatever it takes to make your trailer fit your lifestyle.

Higher re-sale value

ShoreLand'r has developed a unique powder-coating process that creates a deep luster, automotive-style finish. This Superior Quality Finish provides long-term protection against fading and chipping so your trailer looks better, longer and holds its value.

Advanced protection for your PWC

One of the most important duties of a trailer is to protect your PWC when it's out of its element. ShoreLand'r does it with welded Uni-frame construction that provides maximum strength and less flex to ensure longer trailer life. Custom Molded Fenders protect your watercraft from road debris.









